

## EAST Search History

| Ref # | Hits | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|--|---|------------------|---------|------------------|
| L1    | 4804 | (extension near2 table)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/05/26 10:21 |
| L2    | 5    | (extension near2 table) same xml   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/05/26 10:21 |
| L3    | 0    | (extension near2 table) same xml<br>same database  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/05/26 10:21 |
| L4    | 6    | (extension near2 table) same<br>(relational near2 database)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/05/26 10:22 |
| L5    | 0    | 4 and xml  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/05/26 10:21 |
| L6    | 1    | 707/101 and (extension near2<br>table) same (relational near2<br>database)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/05/26 10:22 |
| L7    | 5    | ("707"/\$.ccls. or "715"/\$.ccls.)<br>and ((extension near2 table) same<br>(relational near2 database))            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/05/26 10:23 |
| L8    | 0    | ("707"/\$.ccls. or "715"/\$.ccls.)<br>and ((extension near2 table) same<br>(relational near2 database)) and<br>xml | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/05/26 10:23 |

## EAST Search History

|     |    |  |   |    |     |                  |
|-----|----|--|---|----|-----|------------------|
| L9  | 5  | ("707"/\$.ccls. or "715"/\$.ccls.) and ((extension near2 table) same (database)) and xml                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:24 |
| L10 | 0  | ("707"/\$.ccls. or "715"/\$.ccls.) and ((extension near2 table) same (database)) and xml and (extension near2 table) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:24 |
| L11 | 5  | ("707"/\$.ccls. or "715"/\$.ccls.) and ((extension near2 table) same (database)) and xml and (extension near2 table) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:25 |
| L12 | 3  | ("707"/\$.ccls. or "715"/\$.ccls.) and ((extension near2 table) same (xml)) and xml and (extension near2 table)      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:26 |
| L13 | 5  | ((extension near2 table) same (xml)) and xml and (extension near2 table)   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:27 |
| L14 | 72 | (database same (extension near2 table))  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:28 |
| L15 | 0  | (database same (extension near2 table)) same xml   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:28 |
| L16 | 11 | (database same (extension near2 table)) and xml  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:31 |

## EAST Search History

|     |   |   |   |    |     |                  |
|-----|---|---|---|----|-----|------------------|
| L17 | 1 | "10727176"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:32 |
| L18 | 0 | "10727258"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:32 |
| L19 | 1 | "10/727258"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:33 |
| L20 | 0 | "10/727258" and ((extension<br>near2 table) same xml)       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:34 |
| L21 | 1 | "10/727258" and ((extension<br>near2 table) same populat\$) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:34 |
| L22 | 1 | "10/727258" and ((extension<br>near2 table))                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:35 |
| L23 | 0 | "10/727258" and ((extension<br>near2 table)) and xml        | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:35 |
| L24 | 1 | "10/727258" and ((extension<br>near2 table)) and extensible | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:35 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| L25 | 427 | ((extension near2 table)) and extensible   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:35 |
| L26 | 24  | ((extension near2 table)) and extensible and (relational near2 database)                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:40 |
| L27 | 11  | ((extension near2 table)) and extensible and (relational near2 database) and UDT         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:42 |
| L28 | 10  | ((extension near2 table)) and extensible and (relational near2 database) and UDT and xml | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:43 |
| L29 | 10  | ((extension near2 table)) and (relational near2 database) and UDT and xml                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:43 |
| L30 | 45  | (relational near2 database) and UDT and xml  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:43 |
| L31 | 31  | (relational near2 database) and UDT and xml and extension                                | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:45 |
| L32 | 10  | (relational near2 database) and UDT and xml and (extension near2 table)                  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 10:57 |

## EAST Search History

|     |    |   |   |    |     |                  |
|-----|----|---|---|----|-----|------------------|
| L33 | 12 | (relational near2 database) and UDT and (extension near2 table)                             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 11:09 |
| L34 | 36 | UDT and xml and mapp\$3 and (relational near2 database)                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 11:10 |
| L35 | 8  | UDT and xml and mapp\$3 and (relational near2 database) and (extension near2 table)         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 11:11 |
| L36 | 0  | UDT and HTML and map\$3 and (relational near2 database) and (extension near2 table)         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 11:11 |
| L37 | 9  | UDT and extension and map\$3 and (relational near2 database) and (extension near2 table)    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 11:14 |
| L38 | 9  | UDT and (transfer\$ or migrate) and (relational near2 database) and (extension near2 table) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 11:15 |
| L39 | 0  | "6112199".pn. and transfer  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 11:15 |
| L40 | 0  | "6112199".pn. and migrate   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 11:16 |

## EAST Search History

|     |         |  |   |    |     |                  |
|-----|---------|--|---|----|-----|------------------|
| L41 | 1       | "6112199".pn. and copy   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 11:23 |
| L42 | 12      | UDT and (extension near2 table)<br>and (relational near2 database) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:21 |
| L43 | 1       | "6112199".pn. and extend   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 11:24 |
| L44 | 1       | "6112199".pn. and exten\$  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 11:24 |
| L45 | 0       | (user with configuration) same<br>permission same UDT              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:21 |
| L46 | 0       | (user with configuration) same<br>lock same UDT                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:21 |
| L47 | 4       | ock same UDT   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:22 |
| L48 | 5043751 | I  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:22 |

## EAST Search History

|     |       |  |   |    |     |                  |
|-----|-------|--|---|----|-----|------------------|
| L49 | 29    | lock same UDT  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:22 |
| L50 | 14    | UDT and (relational near2<br>database) and (lock or permission)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:26 |
| L51 | 263   | ((user with configuration) same<br>limited) and (relational near2<br>database)                                 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:30 |
| L52 | 6     | ((user with configuration) same<br>limited) and (relational near2<br>database) and (transfer\$ same<br>tables) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:58 |
| L53 | 5428  | (transfer same rows same<br>(columns or attributes))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:59 |
| L54 | 25204 | (transfer same (columns or<br>attributes))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:59 |
| L55 | 411   | (transfer same (columns or<br>attributes)) same tables   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 12:59 |
| L56 | 18    | (transfer same (columns or<br>attributes)) same tables same<br>(relational near2 database)                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 13:54 |

## EAST Search History

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| L57 | 5    | (transfer same (columns or attributes)) same tables same (xml) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 13:08 |
| L58 | 4    | (export\$3 same data).ti. and 707/204                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:21 |
| L59 | 2276 | transfer same data same xml                                    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 13:11 |
| L60 | 144  | 59 and (map\$ same xml same database)                          | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 13:11 |
| L61 | 31   | 59 and (map\$ same xml same database)                          | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR | OFF | 2006/05/26 13:11 |
| L62 | 0    | (transfer with table\$1) same "xm."                            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 13:54 |
| L63 | 40   | (transfer with table\$1) same xml                              | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:07 |
| L64 | 6    | (transfer with table\$1) same xml                              | USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB              | OR | OFF | 2006/05/26 13:55 |




## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| L65 | 8   | ((transfer with table\$1) same xml) and (SQL same server)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:08 |
| L66 | 2   | (707/200 or 707/204 or 707/203) and ((transfer\$3 with table\$1) same xml) and (SQL same server)                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:09 |
| L67 | 2   | (707/200 or 707/204 or 707/203) and ((transfer\$3 same table\$1) same xml) and (SQL same server)                         | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:10 |
| L68 | 0   | (707/200 or 707/204 or 707/203) and ((transfer\$3 same table\$1) same xml) and ((relational near2 databas) same server)  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:10 |
| L69 | 0   | (707/200 or 707/204 or 707/203) and ((transfer\$3 same table\$1) same xml) and ((relational near2 database) same server) | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:10 |
| L70 | 17  | ((transfer\$3 same table\$1) same xml) and ((relational near2 database) same server)                                     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:10 |
| L71 | 158 | (SQL near2 server).ab.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:28 |
| L72 | 37  | 707/204 and ((migrat\$3 or transfer\$) same (relational near2 database))   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:29 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| L73 | 6   | 707/204 and ((migrat\$3 or transfer\$) same (relational near2 database)) and xml | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:31 |
| L74 | 8   | 707/203 and ((migrat\$3 or transfer\$) same (relational near2 database)) and xml | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:31 |
| L75 | 355 | ((migrat\$3 or transfer\$) same (relational near2 database)) and xml             | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:31 |
| L76 | 70  | ((migrat\$3 or transfer\$) same (relational near2 database)) and xml and DTD     | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:32 |
| L77 | 26  | ((migrat\$3 or transfer\$) same (relational near2 database)) same xml and DTD    | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/05/26 14:32 |

**Web**Results 1 - 10 of about 1,050,000 for transferring data from relational database into xml. (0.71 seconds)**[PDF] TRANSFERRING DATA BETWEEN XML DOCUMENTS AND RELATION DATABASE**File Format: PDF/Adobe Acrobat - [View as HTML](#)**TRANSFERRING DATA BETWEEN. XML DOCUMENTS. AND RELATION DATABASE.**

David Melkumyan. DESY Zeuthen ... store the XML document in a relational database ...  
[www-zeuthen.desy.de/technisches\\_seminar/texte/TRANSFERRING\\_DATA\\_XML\\_RDB.pdf](http://www-zeuthen.desy.de/technisches_seminar/texte/TRANSFERRING_DATA_XML_RDB.pdf)  
 - [Similar pages](#)

**rpbourret.com - Data Transfer Strategies**

Transferring data between XML documents and relational databases ... Unlike the case  
 when inserting data into the database, the relative position of the ...  
[www.rpbourret.com/xml/DataTransfer.htm](http://www.rpbourret.com/xml/DataTransfer.htm) - 90k - [Cached](#) - [Similar pages](#)

**rpbourret.com - XML Database Products**

... fit your data into a well-structured database, such as a relational database, ... XML-  
 Enabled Databases: Databases with extensions for transferring data ...  
[www.rpbourret.com/xml/XMLDatabaseProds.htm](http://www.rpbourret.com/xml/XMLDatabaseProds.htm) - 52k - [Cached](#) - [Similar pages](#)  
[\[ More results from www.rpbourret.com \]](#)

**xml-dev - RE: Mechanics of mapping relational data into XML**

RE: Mechanics of mapping relational data into XML ... (Transferring data from the XML  
 document to the database is > generally not > supported by ...  
[lists.xml.org/archives/xml-dev/200007/msg00438.html](http://lists.xml.org/archives/xml-dev/200007/msg00438.html) - 16k - [Cached](#) - [Similar pages](#)

**RE: Mechanics of mapping relational data into XML**

RE: Mechanics of mapping relational data into XML. ... (Transferring data from the XML  
 document to the database is > generally not > supported by ...  
[www.stylusstudio.com/xmldev/200007/post80430.html](http://www.stylusstudio.com/xmldev/200007/post80430.html) - 23k - [Cached](#) - [Similar pages](#)

**XML.com: Using XML and Relational Databases with Perl**

... that data into the database as we go by executing our prepared statement. ...  
 middleware for transferring data between XML documents and relational ...  
[www.xml.com/pub/a/2000/12/13/perlxmlldb.html](http://www.xml.com/pub/a/2000/12/13/perlxmlldb.html) - 41k - [Cached](#) - [Similar pages](#)

**Relational Databases**

XML-DBMS is a set of Java packages used for transferring data between XML documents  
 and relational databases. These classes allow an XML document to be ...  
[www.xml.com/pub/rg/Relational\\_Databases](http://www.xml.com/pub/rg/Relational_Databases) - 36k - [Cached](#) - [Similar pages](#)  
[\[ More results from www.xml.com \]](#)

**Title Index**

... Efficiently Publishing Relational Data as XML Documents · Efficient Support ... What  
 Makes the Differences: Benchmarking XML Database Implementations ...  
[dret.net/biblio/titles](http://dret.net/biblio/titles) - 929k - [Cached](#) - [Similar pages](#)

**[PDF] DBXML - Connecting XML with Relational Databases**

File Format: PDF/Adobe Acrobat

When transferring XML data to a relational database, ... Convert XML data into  
 relational data and vice. versa. - Transfer data types and primary/foreign ...  
[doi.ieeeecomputersociety.org/10.1109/CIT.2005.95](http://doi.ieeeecomputersociety.org/10.1109/CIT.2005.95) - [Similar pages](#)

**XML Database Mapping**

The notion of transferring data relational databases via XML is growing in popularity. A  
 database schema can be written in XML pretty trivially. ...

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►  
Result Page:    1 2 3 4 5 6 7 8 9 10    **Next**


Info when you want it, right on your desktop  
Free! [Download Google Desktop](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google

**Web**Results 1 - 10 of about 1,050,000 for transferring data from relational database into xml. (0.71 seconds)**[PDF] TRANSFERRING DATA BETWEEN XML DOCUMENTS AND RELATION DATABASE**File Format: PDF/Adobe Acrobat - [View as HTML](#)**TRANSFERRING DATA BETWEEN. XML DOCUMENTS. AND RELATION DATABASE.**David Melkumyan. DESY Zeuthen ... store the XML document in a relational database ...  
[www-zeuthen.desy.de/technisches\\_seminar/texte/TRANSFERRING\\_DATA\\_XML\\_RDB.pdf](http://www-zeuthen.desy.de/technisches_seminar/texte/TRANSFERRING_DATA_XML_RDB.pdf)- [Similar pages](#)**[rpbouret.com - Data Transfer Strategies](#)**

Transferring data between XML documents and relational databases ... Unlike the case when inserting data into the database, the relative position of the ...

[www.rpbouret.com/xml/DataTransfer.htm](http://www.rpbouret.com/xml/DataTransfer.htm) - 90k - [Cached](#) - [Similar pages](#)**[rpbouret.com - XML Database Products](#)**

... fit your data into a well-structured database, such as a relational database, ... XML-Enabled Databases: Databases with extensions for transferring data ...

[www.rpbouret.com/xml/XMLDatabaseProds.htm](http://www.rpbouret.com/xml/XMLDatabaseProds.htm) - 52k - [Cached](#) - [Similar pages](#)[ [More results from www.rpbouret.com](#) ]**[xml-dev - RE: Mechanics of mapping relational data into XML](#)**

RE: Mechanics of mapping relational data into XML ... (Transferring data from the XML document to the database is &gt; generally not &gt; supported by ...

[lists.xml.org/archives/xml-dev/200007/msg00438.html](http://lists.xml.org/archives/xml-dev/200007/msg00438.html) - 16k - [Cached](#) - [Similar pages](#)**[RE: Mechanics of mapping relational data into XML](#)**

RE: Mechanics of mapping relational data into XML. ... (Transferring data from the XML document to the database is &gt; generally not &gt; supported by ...

[www.stylusstudio.com/xmldev/200007/post80430.html](http://www.stylusstudio.com/xmldev/200007/post80430.html) - 23k - [Cached](#) - [Similar pages](#)**[XML.com: Using XML and Relational Databases with Perl](#)**

... that data into the database as we go by executing our prepared statement. ... middleware for transferring data between XML documents and relational ...

[www.xml.com/pub/a/2000/12/13/perlxmldb.html](http://www.xml.com/pub/a/2000/12/13/perlxmldb.html) - 41k - [Cached](#) - [Similar pages](#)**[Relational Databases](#)**

XML-DBMS is a set of Java packages used for transferring data between XML documents and relational databases. These classes allow an XML document to be ...

[www.xml.com/pub/rg/Relational\\_Databases](http://www.xml.com/pub/rg/Relational_Databases) - 36k - [Cached](#) - [Similar pages](#)[ [More results from www.xml.com](#) ]**[Title Index](#)**

... Efficiently Publishing Relational Data as XML Documents · Efficient Support ... What Makes the Differences: Benchmarking XML Database Implementations ...

[dret.net/biblio/titles](http://dret.net/biblio/titles) - 929k - [Cached](#) - [Similar pages](#)**[\[PDF\] DBXML - Connecting XML with Relational Databases](#)**

File Format: PDF/Adobe Acrobat

When transferring XML data to a relational database, ... Convert XML data into relational data and vice. versa. - Transfer data types and primary/foreign ...

[doi.ieeecomputersociety.org/10.1109/CIT.2005.95](http://doi.ieeecomputersociety.org/10.1109/CIT.2005.95) - [Similar pages](#)**[XML Database Mapping](#)**

The notion of transferring data relational databases via XML is growing in popularity. A database schema can be written in XML pretty trivially. ...

Try your search again on [Google Book Search](#)

Goooooooooogle▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Info when you want it, right on your desktop  
Free! [Download Google Desktop](#)

Google

News

New lines of communication  
Financial Times 3 hrs ago

Email

**Lunch tomorrow?**  
Mandy M Y <...> 11 min ago

61°F Clear Mount

DJI 10434.87 89

Type to search

11:22 AM

transferring data from relational data

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google